

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	1	"5379346".pn.	USPAT
2	BRS	L2	912532	1 and x("0")	USPAT
3	BRS	L3	0	1 and "x(0)"	USPAT
4	BRS	L4	0	1 and (x near2 "0")	USPAT
5	BRS	L5	0	1 and (x with "0")	USPAT
6	BRS	L6	0	1 and (x with "0")	USPAT
7	BRS	L7	1	1 and x	USPAT
8	BRS	L8	1	1 and initial\$6	USPAT
9	BRS	L9	0	1 and block\$5 and stream\$6	USPAT
10	BRS	L10	1	1 and (block\$5 or stream\$6)	USPAT
11	BRS	L11	39	380/263.ccls.	USPAT
12	BRS	L12	0	11 and "x(0)"	USPAT
13	BRS	L13	13	11 and (x with "0")	USPAT
14	BRS	L14	10	11 and (x near3 "0")	USPAT
15	BRS	L15	4	14 and (choat\$6 or chaos) and stream\$6 and block\$5	USPAT
16	BRS	L16	2	(choat\$6 or chaos) and (stream\$6 near3 encrypt\$6) and (block\$5 near3 encrypt\$6) and (x near3 "0")	USPAT
17	BRS	L17	4	15 and block\$5	USPAT
18	BRS	L18	1	"6792111".pn.	USPAT
19	BRS	L19	1	18 and (algorithm or function)	USPAT
20	BRS	L20	1	17 and 18	USPAT

	Type	L #	Hits	Search Text	DBs
21	BRS	L21	1	20 and (algorithm or function)	USPAT
22	BRS	L22	1	21 and ((stream or block) with (encrypt\$6 or decrypt\$7 or crypt\$6))	USPAT
23	BRS	L23	1	18 and plurality	USPAT
24	BRS	L24	0	22 and (plaintext or ciphertext or cleartext)	USPAT
25	BRS	L25	1	22 and ((plain near3 text) or (cipher near3 text) or (clear near3 text))	USPAT
26	BRS	L26	1	18 and verif\$7	USPAT
27	BRS	L27	0	18 and check\$7	USPAT
28	BRS	L28	0	18 and integrity	USPAT
29	BRS	L29	1	18 and key	USPAT
30	BRS	L30	1	18 and password	USPAT
31	BRS	L31	1	18 and (database or stor\$7)	USPAT